

FARBAUSWAHL

The advertisement features a background image of a modern building with a stone wall and large glass windows. A red arrow points from the left towards the center, containing the text "deko FireSafe®". Below this, the text "Ein nicht brennbarer Schichtstoff" is displayed. Further down, the certification details "zertifiziert nach DIN 4102-1 A1(A2)", "A2 - s1 - d0 nach DIN EN 13501-1", and "Patent Nr. 10 2014 116 984" are listed. The bottom right corner of the image shows a close-up of bright orange and yellow flames.

deko FireSafe® Schichtstoffplatten sind nach nationalen und internationalen Anforderungen der Baustoffklasse A zertifiziert. Als Schichtstoff wird **deko FireSafe®** auch im Verbund mit zertifizierten Baustoffplatten angeboten und ermöglicht so Komplettlösungen für höchste Brandschutzanforderungen.

deko FireSafe® Baustoffe im Verbund:

A2 s1 d0

DIN EN 13501-1

Dekorgleich Baustoffklassen A, B, C, D

dekolor Dekore (Uni) A2, B, C, D



deko FireSafe® in den Oberflächen

HGL (hochglanz)

MAT (matt)

MPM (miniperl matt)

JETZT NEU!

SFT

(softtouch + supermatt)



dekopin-Dekore – magnethaftende HPL A2, B, C, D



MH/A341/SR



*MAT = beamer friendly
(helle Farben)
**AGT = anti fingerprint
anti ghosting
dry cleaning
beamer friendly



MH/A350/SR



MH/A356/SR



MH/E006
HGL/MAT*/AGT**/MPM/SMT



MH/E011
HGL/MAT*/AGT**/MPM/SMT



MH/E110
HGL/MAT*/AGT**/MPM/SMT



MH/E111
HGL/MAT*/AGT**/MPM/SMT

Klassifizierung nach DIN 13501-1
A2 s1 d0 im Verbund
Patent Nr. 10 2014 116 984

starline Dekore / i-Resist HPML A2, B, C, D



A341/SR



A350/SR



A351/SR




A352/SR



A353/SR



A356/SR



A480/HSR***



A486/HSR***

*** auch horizontal einsetzbar

SR	Scratch Resistant	abriebfest	1,2 N
HSR	High Scratch Resistant	hoch-abriebfest	3,0 N

Formate / Sizes:

2440 x 1220 mm


3050 x 1220 mm

Stärken / Thicknesses:


0,6 mm

1,2 mm

starline Dekore / HPML B-Klassen A1, A2, B, C, D



RA210




RA211




RA212



RA216



RA217



RA231



RA232



RA233



RA234



RA236



RA242




RA248



RA249

dekonova Dekore A2, B, C, D

(Fantasie-, Holz- und Steindekore)



Formate / Sizes:

2440 x 1220 mm
3050 x 1220 mm

Stärken / Thicknesses:

0,6 mm
1,2 mm

dekonova Fantasie-, Holz- und Steindexe

A2, B, C, D



D072



D073



D074



D075



D079



D080



D081



D083

Formate / Sizes:

2440 x 1220 mm


3050 x 1220 mm


Stärken / Thicknesses:

0,6 mm

1,2 mm

Strukturvarianten Metall und Melamin:





Formate / Sizes:

2440 x 1220 mm
3050 x 1220 mm

Stärken / Thicknesses:

0,6 mm
*1,2 mm